



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,768	12/17/2001	Kie Jin Park	P67414US0	4427

7590 01/12/2005
YOON S. HAM
PIPER RUDEWICK LLP
P.O. BOX 9271
RESTON, VA 20195

EXAMINER

DAMIANO, ANNE L

ART UNIT PAPER NUMBER

2114

DATE MAILED: 01/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/015,768

Applicant(s)

PARK ET AL.

Examiner

Anne L Damiano

Art Unit

2114

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 November 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

1. The title is objected to because of a typographical error. The examiner asserts that “mothed” should be changed to “method.”

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 2, 5-11 and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Fulton, III et al. (5,715,386).

As in claim 1, Fulton discloses a method for improving software availability of a cluster computer system including a number of primary servers (nodes) and spare servers (nodes) (column 2: lines 11-23 and figure 2), said method comprising the following steps of:

Collecting system state information about the number of primary servers to monitor unstableness of the servers (column 9: line 62-column 10: line 8);

If at least one of the servers is judged unstable as a result of monitoring (node fails), judging existence of a spare server or other primary server having spare capacity (column 14:

Art Unit: 2114

lines 34-47). (If the node does not have spare capacity, it has failed and the failure would be broadcast. Otherwise a backup node is known to have spare capacity);

If at least one of the spare servers or the primary servers having spare capacity exists, duplexing all processes of the unstable primary server to the spare server or the other primary server having spare capacity according to a currently set operation mode (column 10: lines 5-47); and

Upon completing duplexing, providing the unstable server with a system rejuvenation control signal for executing rejuvenation (column 10: lines 47). (Since a node can return to service some form of rejuvenation must occur to make the failed node once again functional. In order for the rejuvenation to occur, some form of rejuvenation control signal must be existent in the system.)

As in claim 2, Fulton discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said system state information contains at least one of group including operational load, continuous running time, memory usage, buffer usage of the primary server (column 9: lines 67 and column 3: lines 40-67). (The daemon monitors processes local to each node and specifically monitors the continuous running time of a processes.)

As in claim 5, Fulton discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said step of duplexing comprises the steps of:

Art Unit: 2114

If the current mode is set as the active/active mode, selecting any of the primary servers having spare capacity; and

Duplexing all the processes of the unstable primary server to the selected primary server having spare capacity (figure 2 and column 11: line 54-column 12: line 62)

As in claim 6, Fulton discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said step of executing rejuvenation comprises the steps of:

If the primary server subjected to rejuvenation is completed in duplexing, judging if to execute a rejuvenation command according to operational load and continuous running time of the primary server subjected to rejuvenation;

If it is judged to execute the rejuvenation command as a result of said step of judging, canceling a list of the primary server subjected to rejuvenation from an available server list (column 10: lines 5-8);

Upon switching the duplexed spare server to the primary server, executing rejuvenation of the primary server subjected to rejuvenation; and

Upon completing rejuvenation, registering the rejuvenation-completed primary server in the available server list as a spare server (column 10: lines 44-60).

As in claim 7, Fulton discloses a method for improving software availability of a cluster computer system according to claim 6, wherein said rejuvenation of the primary server subjected to rejuvenation includes file system clearing, buffer clearing, memory clearing and restart

Art Unit: 2114

(column 10: lines 45-47). (Since a node can return to service some form of rejuvenation must occur to make the failed node once again functional. The rejuvenation and rebooting of a node includes such clearing steps.)

As in claim 8, Fulton discloses an apparatus for improving software availability of a cluster computer system including a number of primary servers (nodes) and spare servers (column 2: lines 11-23 and figure 2), said apparatus comprising:

System monitoring means for collecting system state information about the number of primary servers to grasp an unstable state of each of the servers (column 9: line 62-column 10: line 8);

Cluster controlling means for providing a control signal for duplexing all processes of a primary server to a spare server or other primary server having spare capacity according to a currently set operation mode if the primary server is unstable (node fails) as a result of system monitoring in said system monitoring means (column 14: lines 34-47). (If the node does not have spare capacity, it has failed and the failure would be broadcast. Otherwise a backup node is known to have spare capacity), and for providing the unstable primary server with a rejuvenation signal for system rejuvenation if the unstable primary server maintains an unstable system state for a certain time period (column 10: lines 45-47). (Since a node can return to service some form of rejuvenation must occur to make the failed node once again functional. In order for the rejuvenation to occur, some form of rejuvenation control signal must be existent in the system.); and

Duplexing means for duplexing all processes of the unstable primary server to the spare server or the other server having spare capacity according to a duplexing control signal about the set mode provided from said cluster controlling means (column 10: lines 5-47).

As in claim 9, Fulton discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said system monitoring means comprises:

A system state information collecting block for monitoring a system state of each of the primary servers to collect state information of the each server (column 9: line 62-column 10: line 8); and

A rejuvenation command producing block for judging existence of an unstable primary server according to system state information collected in said system state information collecting block, and if any of the primary servers is unstable, producing a rejuvenation command signal for rejuvenation of unstable software of the unstable primary server and providing the same to said duplexing means (column 10: lines 47). (When a node fails, it is restarted and can return to service. Since a node can return to service some form of rejuvenation must occur to make the failed node once again functional. In order for the rejuvenation to occur, some form of rejuvenation control signal must be existent in the system.)

As in claim 10, Fulton discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said system state information contains at least one of group including operational load, continuous running time, memory usage, buffer usage of the primary server (column 9: lines 67 and column 3: lines 40-67). (The daemon

Art Unit: 2114

monitors processes local to each node and specifically monitors the continuous running time of a processes.)

As in claim 11, Fulton discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said cluster controlling means includes registering means for canceling the unstable primary server from an available server list when the unstable primary server is duplexed to the spare server or the other primary server having spare capacity in said duplexing means, and upon completing rejuvenation of the unstable primary server according to the rejuvenation signal, re-registering the rejuvenation-completed primary server in the available server list (column 10: lines 5-10 and column 10: lines 44-60).

As in claim 14, Fulton discloses a record medium readable by a digital processing apparatus and containing programs of command languages which can be executed by the digital processing apparatus for execution of a method for improving software availability of a cluster computer system including a number of primary servers (nodes) and spare servers (column 2: lines 11-23 and figure 2), said programs in the record medium can be executed in the following steps of:

Collecting system state information about the number of primary servers to monitor unstableness of the servers (column 9: line 62-column 10: line 8);

If at least one of the servers is judged unstable as a result of monitoring (node fails), judging existence of a spare server or other primary server having spare capacity (column 14: lines 34-47). (If the node does not have spare capacity, it has failed and the failure would be broadcast. Otherwise a backup node is known to have spare capacity);

Art Unit: 2114

If at least one of the spare servers or the primary servers having spare capacity exists, duplexing all processes of the unstable primary server to the spare server or the other primary server having spare capacity according to a currently set operation mode (column 10: lines 5-47); and

Upon completing duplexing, providing the unstable server with a system rejuvenation control signal for executing rejuvenation (column 10: lines 45-47). (Since a node can return to service some form of rejuvenation must occur to make the failed node once again functional. In order for the rejuvenation to occur, some form of rejuvenation control signal must be existent in the system.)

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 1-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Harper et al. (2003/0036882).

As in claim 1, Harper discloses a method for improving software availability of a cluster computer system including a number of primary servers (primary nodes) and spare servers (secondary nodes) (paragraphs 3 and 36), said method comprising the following steps of:

Collecting system state information about the number of primary servers to monitor unstableness of the servers (paragraph 38) (Failure prediction involves collecting system state information to monitor the unstableness.);

If at least one of the servers is judged unstable as a result of monitoring (node fails or failure is predicted), judging existence of a spare server or other primary server having spare capacity (paragraphs 46-49 and paragraph 68);

If at least one of the spare servers or the primary servers having spare capacity exists, duplexing all processes of the unstable primary server to the spare server or the other primary server having spare capacity according to a currently set operation mode (paragraphs 3 and 11);
and

Upon completing duplexing, providing the unstable server with a system rejuvenation control signal for executing rejuvenation (paragraphs 59-64). (Since rejuvenation can occur, some form of rejuvenation control signal must be existent in the system.)

As in claim 2, Harper discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said system state information contains at least one of group including operational load, continuous running time, memory usage, buffer usage of the primary server (paragraph 51). (The failure predictor predicts any problem of the primary

Art Unit: 2114

node that can be predicted which would include tracking such things as operational load, continuous running time and memory and buffer usage.)

As in claim 3, Harper discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said set operation mode in said step of duplexing includes:

An active/standby mode in which a spare server exists without participating service in practice for being used in duplexing (paragraph 37) (When a node is the secondary node, it is in an active standby mode.); and

An active/active mode in which all of the servers constituting the cluster participate in service while mutually performing the role of the spare servers (paragraph 65 and figure 5A).

As in claim 4, Harper discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said step of duplexing comprises the steps of:

If the current mode is set as the active/standby mode, selecting any of the sparing servers (paragraph 37) (When a node is the secondary node, it is in an standby mode. When the primary node fails); and

Duplexing all the processes of the unstable primary server to the selected spare server (paragraphs 66, 69 and 70 and figure 5B).

As in claim 5, Harper discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said step of duplexing comprises the steps of:

Art Unit: 2114

If the current mode is set as the active/active mode, selecting any of the primary servers having spare capacity; and

Duplexing all the processes of the unstable primary server to the selected primary server having spare capacity (paragraphs 39) (Secondary nodes may or may not have applications running on them and therefore are also primary nodes and the secondary node must have spare capacity.)

As in claim 6, Harper discloses a method for improving software availability of a cluster computer system according to claim 1, wherein said step of executing rejuvenation comprises the steps of:

If the primary server subjected to rejuvenation is completed in duplexing, judging if to execute a rejuvenation command according to operational load and continuous running time of the primary server subjected to rejuvenation;

If it is judged to execute the rejuvenation command as a result of said step of judging, canceling a list of the primary server subjected to rejuvenation from an available server list;

Upon switching the duplexed spare server to the primary server, executing rejuvenation of the primary server subjected to rejuvenation; and

Upon completing rejuvenation, registering the rejuvenation-completed primary server in the available server list as a spare server (paragraphs 63 and 64). (A failed server is brought back up as a secondary node and is therefore registered and listed as an available spare server.)

As in claim 7, Harper discloses a method for improving software availability of a cluster computer system according to claim 6, wherein said rejuvenation of the primary server subjected to rejuvenation includes file system clearing, buffer clearing, memory clearing and restart (paragraphs 63 and 64). (The rejuvenation and rebooted includes such clearing steps.)

As in claim 8, Harper discloses an apparatus for improving software availability of a cluster computer system including a number of primary servers (primary nodes) and spare servers (secondary nodes) (paragraphs 3 and 36), said apparatus comprising:

System monitoring means for collecting system state information about the number of primary servers to grasp an unstable state of each of the servers (paragraph 38) (Failure prediction involves collecting system state information to monitor the unstableness.);

Cluster controlling means for providing a control signal for duplexing all processes of a primary server to a spare server or other primary server having spare capacity according to a currently set operation mode if the primary server is unstable (node fails or failure is predicted) as a result of system monitoring in said system monitoring means, and for providing the unstable primary server with a rejuvenation signal for system rejuvenation if the unstable primary server maintains an unstable system state for a certain time period (paragraphs 46-49 and 59-64) (Since rejuvenation can occur, some form of rejuvenation control signal must be existent in the system.); and

Duplexing means for duplexing all processes of the unstable primary server to the spare server or the other server having spare capacity according to a duplexing control signal about the set mode provided from said cluster controlling means (paragraphs 3 and 11).

As in claim 9, Harper discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said system monitoring means comprises:

A system state information collecting block (failure predictor) for monitoring a system state of each of the primary servers to collect state information of the each server (paragraph 38) (Failure prediction involves collecting system state information of each node to monitor its unstableness.); and

A rejuvenation command producing block for judging existence of an unstable primary server according to system state information collected in said system state information collecting block, and if any of the primary servers is unstable, producing a rejuvenation command signal for rejuvenation of unstable software of the unstable primary server and providing the same to said duplexing means (paragraphs 59-64). (Since rejuvenation can occur, some form of rejuvenation control signal must be existent in the system.)

As in claim 10, Harper discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said system state information contains at least one information of group including operation load, continuous running time, memory usage, buffer usage of the servers (paragraph 51). (The failure predictor predicts any problem of the primary node that can be predicted which would include tracking such things as operational load, continuous running time and memory and buffer usage.)

As in claim 11, Harper discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said cluster controlling means includes registering means for canceling the unstable primary server from an available server list when the unstable primary server is duplexed to the spare server or the other primary server having spare capacity in said duplexing means, and upon completing rejuvenation of the unstable primary server according to the rejuvenation signal, re-registering the rejuvenation-completed primary server in the available server list (paragraphs 63 and 64). (A failed server is brought back up as a secondary node and is therefore registered and listed as an available spare server.)

As in claim 12, Harper discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein the operation mode set in said cluster controlling means includes an active/standby mode having a spare server existing without practically participating service for being used in duplexing (paragraph 37); and

An active/active mode in which all the servers constituting the cluster participate in service while mutually performing the role of the spare servers (paragraphs 39) (Secondary nodes may or may not have applications running on them and therefore participate in service while performing the role of the spare servers.)

As in claim 13, Harper discloses an apparatus for improving software availability of a cluster computer system according to claim 8, wherein said duplexing means comprises:

Art Unit: 2114

A server selecting block for selecting a spare server or a primary server having spare capacity according to the operation mode set to said cluster controlling means (paragraph 68); and

A duplexing block for duplexing all the processes of the unstable primary server to the primary server having spare capacity selected by said primary server selecting block when the operation mode is set as an active/active operation mode, and for duplexing all the processes of the unstable primary server to the spare server selected by said primary server selecting block when the operation mode is set as an active/standby operation mode (paragraphs 39). (Secondary nodes may or may not have applications running on them and therefore are also primary nodes and the secondary node must have spare capacity.)

As in claim 14, Harper discloses a record medium readable by a digital processing apparatus and containing programs of command languages which can be executed by the digital processing apparatus for execution of a method for improving software availability of a cluster computer system including a number of primary servers (nodes) and spare servers (secondary nodes) (paragraphs 3 and 36 and claim 38), said programs in the record medium can be executed in the following steps of:

Collecting system state information about the number of primary servers to monitor unstableness of the servers (paragraph 38) (Failure prediction involves collecting system state information to monitor the unstableness.);

If at least one of the servers is judged unstable as a result of monitoring (node fails or failure is predicted), judging existence of a spare server or other primary server having spare capacity (paragraphs 46-49 and paragraph 68);

If at least one of the spare servers or the primary servers having spare capacity exists, duplexing all processes of the unstable primary server to the spare server or the other primary server having spare capacity according to a currently set operation mode (paragraphs 3 and 11); and

Upon completing duplexing, providing the unstable server with a system rejuvenation control signal for executing rejuvenation (paragraphs 59-64). (Since rejuvenation can occur, some form of rejuvenation control signal must be existent in the system.)

Response to Arguments

6. Applicant's arguments filed 11/3/04 have been fully considered but they are not persuasive.

7. In response to applicant's arguments regarding both the Fulton and Harper references, the recitation of "a cluster computer system" has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190

Art Unit: 2114

USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

In any event, Fulton discloses a method that can be implemented on many nodes (figure 2 and column 2: lines 62-63). A cluster, by definition is, two or more systems working together. Therefore, two or more nodes working together are a cluster.

Harper discloses a system with two nodes, but that is equally applicable to clusters having more than two nodes (paragraph 36).

8. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the system being an (n,k) cluster composition and not having a distinction between primary and space servers) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

The claims are written, "judging the existence of a spare server" and do not distinctly claim more than one spare server. Also, the claims are written to include primary and spare servers and do not include any indication that the invention is operated without distinction of primary and spare servers.

Therefore, applicants' arguments are not persuasive and rejections of claims under both Fulton and Harper stand.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anne L Damiano whose telephone number is (571) 272-3658. The examiner can normally be reached on M-F 9-6:30 first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel can be reached on (571) 272-3645. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2114

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ALD



SCOTT BADERMAN
PRIMARY EXAMINER